

EULS ORAGE TILED STOVE The small full-featured tiled stove to enjoy the full benefit of warmth



Living tradition finds its equivalent in the present time. The full storage tiled stove by the Sommerhuber Ceramic Manufactory is delivered in parts and is completely and tidily assembled within one day. This makes it perfect for the subsequent installation. The new, small version of the tiled stove can be customized in a variety of glazes and structures. This turns the full storage tiled stove into a classic that stores heat and slowly releases it as comfortable ceramic radiant heat.

Title

2140: round Glaze: 484 aquamarine medium lustrous Technique: Ofen Innovativ KE 182,6 2139_01: round, flute fine Glaze: 482 tourmaline dark lustrous Technique: Ofen Innovativ KE 182,6







The smallest full-featured tiled Stove

With a height of only 163 cm, the full storage tiled stove is the smallest tiled stove by the Sommerhuber Ceramic Manufactory. With its low weight of only 345 kg, it is suitable for installation onto an existing underfloor heating system.

2113_2: round, flute fine Glaze: 281 black lustrous Technique: Ofen Innovativ KE 182,6

2113: round, flute fine Glaze: 450 enamel white lustrous Technique: Ofen Innovativ KE 182,6





A big piece of quality of living

Like all tiled stoves the Sommerhuber Ceramic Manufactory, it is a (small) piece for a great quality of living. The storage capacity of the heat storing ceramic fulfills the need for high energy efficiency and the independent heating option with the renewable, domestic energy source wood. The full storage tiled stove is perfectly suited as an independent, alternative form of heating in any living space.

2115: round Glaze: 226 peat light weathered Technique: Ofen Innovativ KE 182,6








2072_4: square, smooth and flute fine Glaze: 311 sahara Technique: Ofen Innovativ KE 195,7

2070_4: round, smooth and flute fine Glaze: 451 alabaster lustrous Technique: Ofen Innovativ KE 182,6



high-quality Sommerhuber heat storing ceramics

examined according to DIN EN 13229

Technical data according to the manufacturer for low-energy house: approx. 65 m²

DIBt RLU tested Z-43.12-286

163 x Ø 53 cm

163 x 50 x 50 cm

Outside:

Inside:

63

50


10

50

Dimensions round:

Dimensions square:

Ofen Innovativ KSO



Heat once – and have a comfortable ceramic heat radiation for up to 8 hours





Sommerhuber GmbH, Resthofstr. 69, A-4400 Steyr Phone: +43/7252/893-0, keramik@sommerhuber.com www.sommerhuber.com

We would like to thank: Schloss Lamberg Steyr, Österreichische Bundesforste AG, kühberger & haas